Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC NetShelter Rack PDU Advanced, Switched Metered Outlet, 3Phase, 11kW 400V 16A or 11.5kW 415V 20A, 48 Outlets, IEC309

APDU10250SM

Overview

Lead Time Usually in Stock

Main

wani	
Main Input Voltage	415 V 3 phases 400 V 3 phases
Product Or Component Type	PDU
Pdu Type	Switched metered outlet
Main Output Voltage	240 V
Input Connection Type	IEC 60309 20 A 3P + N + PE
Number Of Rack Unit	OU
Cable Length	1.8 m
Communication Port Protocol	1000BASE-T 10/100BASE-T

Physical

Colour	Black
Height	149.0 cm
Width	5.6 cm
Depth	7.5 cm
Net Weight	7.7 kg
Mounting Location	Side
Mounting Preference	No preference
Mounting Mode	Rack-mounted
Mounting Position	Vertical

Input

[In] Rated Current	16 A	
Permissible Voltage	200240 V 346415 V	
Input Current Limits	20 A	
Load Capacity	11500 VA	
Network Frequency	50/60 Hz	

Output

Number Of Power Socket Outlets 24 C13/C15/C19/C21 C13/C15

Conformance

Product Certifications	TAA compliance UKCA
Standards	UL 62368-1
	CSA C22.2 No 62368-1
	FCC part 15 Subpart B
	CE
	EN 62368-1
Ip Degree Of Protection	IP44

ip begree of trotection

Environmental

Ambient Air Temperature For Operation	-560 °C
Relative Humidity	595 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	595 %
Storage Altitude	0.0015240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	172 cm
Package 1 Width	11.6 cm
Package 1 Length	20.8 cm
Package 1 Weight	9.7 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >





Transparency RoHS/REACh

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information