# **Product datasheet**

Specifications



APC NetShelter Rack PDU Advanced, Metered, 3Phase, 22.1kW 400V 32A or 17.3kW 415V 30A, 48 Outlets, IEC309

APDU10350ME

#### Overview

Lead Time Usually in Stock

### Main

Colour	Black
Product Or Component Type	PDU
Pdu Type	Metered
Cable Length	1.8 m

## Complementary

Main Input Voltage	415 V 3 phases 400 V 3 phases	
Height	178.0 cm	
Width	5.6 cm	
Main Output Voltage	240 V	
Depth	7.5 cm	
Net Weight	8.4 kg	
Mounting Location	Side	
Mounting Preference	No preference	
Input Connection Type	e IEC 60309 30 A 3P + N + PE	
Mounting Mode	Rack-mounted	
Number Of Rack Unit	0U	
Mounting Position	Vertical	
Communication Port Protocol	1000BASE-T 10/100BASE-T	
[In] Rated Current	24 A	
Permissible Voltage	200240 V 346415 V	
Input Current Limits	30 A	
Load Capacity	17300 VA	
Network Frequency	50/60 Hz	
Number Of Power Socket Outlets	24 C13/C15/C19/C21 24C13/C15	

## **Environment**



Product Certifications	TAA compliance
Standards	UL 62368-1
	CSA C22.2 No 62368-1
	FCC part 15 Subpart B
	CE
	EN 62368-1
Ip Degree Of Protection	IP44
Ambient Air Temperature For Operation	-560 °C
Relative Humidity	595 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-2565 °C
Storage Relative Humidity	595 %
Storage Altitude	0.0015240.00 m

# Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	198 cm
Package 1 Width	13.2 cm
Package 1 Length	26.2 cm
Package 1 Weight	11.4 kg



**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >





Transparency RoHS/REACh

## Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
<b>②</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information