

Product datasheet

Specifications



APC SERVICE BYPASS PDU, 230V 16AMP W/ (6) IEC C13 AND (1) C19

SBP3000RMI

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	230 V
Product Or Component Type	Bypass kit
Main Output Voltage	230 V
Input Connection Type	IEC 60320 C20
Number Of Rack Unit	2U
Cable Length	2.50 m
Number Of Cables	1
Provided Equipment	User manual Rack mounting brackets

Physical

Colour	Black
Height	8.9 cm
Width	43.2 cm
Depth	7.6 cm
Net Weight	2.09 kg
Mounting Location	Front
Mounting Preference	No preference
Mounting Mode	Rack-mounted

Input

Network Frequency	50/60 Hz
Permissible Voltage	220...240 V
Max Line Current	16 A
Input Current Limits	16 A
Load Capacity	3000 VA
Power Factor	0...1

Output

Max Current Draw	16 A
------------------	------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Power Socket Outlets	6 IEC 60320 C13 1 IEC Jumpers 1 IEC 60320 C19
Number Of Power Socket Outlets	7
Protection Type	Circuit breaker
Power Cable Length	1.00 m
Efficiency	99 %

Conformance

Product Certifications	VDE
Standards	EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018

Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...15000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.1 cm
Package 1 Width	29.5 cm
Package 1 Length	46.3 cm
Package 1 Weight	3.91 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)

Well-being performance

✓	Reach Free Of Svhc	
✓	Toxic Heavy Metal Free	
✓	Mercury Free	
✓	Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration	
Eu Rohs Directive	Compliant	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	